

Security and Accessibility CAN be friends!





Thank You to Our Sponsors and Hosts!









SECURITY GROUP











plexure



Without them, this conference couldn't happen.

Land acknowledgement


Acknowledge Yuggera as the traditional owners of this land.







This presentation is on the AccessibilityOz
Conferences page:
www.accessibilityoz.co
m/about/conferences









- Dyslexia
- Moderate vision impairment
- Severe vision impairment
- Epilepsy
- Migraines
- Physical impairment
- Fibromyalgia
- Multiple Sclerosis
- Crohn's Disease
- PTSD
- Autism
- Long COVID





About Gian

1998

Worked on first accessible website in Australia

Created Australia's first automated accessibility testing tool

Invited Expert to W3C WCAG2 Working Group

Worked on Melbourne 2006 Commonwealth Games

> Managed Usability and Accessibility Services at Monash University





Founded AccessibilityOz

AccessibilityOz

Released OzPlayer

M OzPlayer

Released OzArt



Spoke at the United Nations on web accessibility

Inducted into the Australia's Hall of Fame as Accessibility Person of the Year 2019

Chair of Mobile Accessibility Testing Guidelines






Let's start with an anecdote...







The excuses for PDFs

Security



PDFs and security

City of Sydney annual report

- v) The cost of interstate visits undertaken by Councillors while representing the City, including the cost of transport, the cost of accommodation and other out-of-pocket travelling expenses was \$4,206.32.
- (vi) The cost of overseas visits undertaken by Councillors while representing Council, including the cost of transport, the cost of accommodation and other out-of-pocket travelling expenses was \$1,727.77.
- (vii) The expenses of any sport partner

- (v) The cost of interstate visits undertaken by Councillors while representing the City, including the cost of transport, the cost of accommodation and other out-ofpocket travelling expenses was \$14.2.
- (vi) The cost of overseas visits undertaken by Councillors while representing Council, including the cost of transport, the cost of accommodation and other out-of-pocket travelling expenses was \$1.7.
- (vii) The expenses of any spouse, partner

Altered version

Original version

From The Guardian





DDA Web Advisory Notes

Some file formats provide mechanisms for enhancing the security of documents by preventing unauthorised editing, copying, or printing. Some of these mechanisms are not compatible with accessibility for people with a disability, and document authors should ensure that security features do not prevent access to the document by assistive technology.





DDA Web Advisory Notes

If there are concerns about ensuring the authenticity of material published on the web in multiple formats, then a statement should be included that specifies which format is to be regarded as definitive or authorised, and noting that additional formats are being provided to maximise access.







What about CAPTCHA?



1.1.1: Non-text Content

All non-text content that is presented to the user has a text alternative that serves the equivalent purpose, except for the situations listed below.

CAPTCHA

If the purpose of non-text content is to confirm that content is being accessed by a person rather than a computer, then text alternatives that identify and describe the purpose of the non-text content are provided...





1.1.1: Non-text Content

• ... and alternative forms of CAPTCHA using output modes for different types of sensory perception are provided to accommodate different disabilities.







Every CAPTCHA is inaccessible

Yes, even Google's one





Yes, even Google's one





Especially Google's one





And the W3C agrees

CAPTCHAs are a controversial topic in the accessibility community. As is described in the paper Inaccessibility of CAPTCHA, CAPTCHAs intrinsically push the edges of human abilities in an attempt to defeat automated processes. Every type of CAPTCHA will be unsolvable by users with certain disabilities. However, they are widely used, and the Web Content Accessibility Guidelines Working Group believes that if CAPTCHAs were forbidden outright, Web sites would choose not to conform to WCAG rather than abandon CAPTCHA.



And the W3C agrees

This would create barriers for a great many more users with disabilities. For this reason the Working Group has chosen to structure the requirement about CAPTCHA in a way that meets the needs of most people with disabilities, yet is also considered adoptable by sites. Requiring two different forms of CAPTCHA on a given site ensures that most people with disabilities will find a form they can use.





And the W3C agrees

Because some users with disabilities will still not be able to access sites that meet the minimum requirements, the Working Group provides recommendations for additional steps. Organizations motivated to conform to WCAG should be aware of the importance of this topic and should go as far beyond the minimum requirements of the guidelines as possible.





What about audio CAPTCHAs?

Also inherently inaccessible:

- Most bots can interpret speech so the audio is often distorted (and therefore inaccessible)
- Audio CAPTCHAs are one and done it is transient whereas a visual CAPTCHA is not persistent (and therefore inaccessible)
- The method to turn on the audio CAPTCHA may not be accessible








What is the alternative?

If you **must** have CAPTCHA:

- Provide more than two modalities of CAPTCHA for a given action (and make sure they work!);
- Provide access to a human customer service representative who can bypass CAPTCHA; and
- Do not require CAPTCHAs for authorized users.







What is the alternative to CAPTCHA?

Better alternatives:

- Multi-factor authentication
- Human test questions (e.g. Is fire hot or cold? Is grass green or purple?)
- Honeypot traps (fields that must be left blank, or the form is not submitted)
- Server-side spam filters and server-side validation





What is the alternative to CAPTCHA?

- Confirmation page (a screen after form submission that reads "Here is your information. Are you happy to submit this?")
- Timestamp your forms (if the form is submitted faster than humanly possible, odds are it's a spambot)
- Proof of work JavaScript code
- Heuristics of the user
- Limited-use accounts





Need to convince someone else?

https://tinyurl.com/ a11y-captcha





Let's talk forms



WCAG: paradoxical to security?

- 2.2.1: Timing adjustable
- 3.3.1: Error Identification
- 3.3.3: Error Suggestion
- 3.3.4: Error Prevention (Legal, Financial, Data)
- 3.3.7: Redundant Entry
- 3.3.8: Accessible Authentication (Minimum)





2.2.1: Timing adjustable

For each time limit that is set by the content, at least one of the following is true:

- Turn off: The user is allowed to turn off the time limit before encountering it; or
- Adjust: The user is allowed to adjust the time limit before encountering it over a wide range that is at least ten times the length of the default setting; or





2.2.1: Timing adjustable


- **Extend:** The user is warned before time expires and given at least 20 seconds to extend the time limit with a simple action (for example, "press the space bar"), and the user is allowed to extend the time limit at least ten times; or
- Real-time Exception: The time limit is a required part of a real-time event (for example, an auction), and no alternative to the time limit is possible; or





2.2.1: Timing adjustable

Provides both options to turn off or extend








2.2.1: Timing adjustable


Provides option to extend







Provides option to extend







2.2.1: Timing adjustable

- Essential Exception: The time limit is essential and extending it would invalidate the activity; or
- 20 Hour Exception: The time limit is longer than 20 hours.






3.3.1: Error Identification

If an input error is automatically detected, the item that is in error is identified and the error is described to the user in text.





Try to give more information than this...








3.3.1: Error Identification

But definitely provide better information than this







3.3.3: Error Suggestion

If an input error is automatically detected and suggestions for correction are known, then the suggestions are provided to the user, unless it would jeopardize the security or purpose of the content.





3.3.3: Error Suggestion

Use "for example" and / or provide details on input required

Last name:	Test	
Country/region:	United Kingdom	¥
Constituent Country:	England	v
Postal Code:		
	○Male ○Female Please enter birth year in 4 digits (e.g. 1974)	
Birth year:	81	





If it's a common mistake...

OUTPUT (1) A

1 item

ERROR: UNKNOWN ERROR - check the detailed error for more information

Candidate has already been invited to take the same test. If you want to reinvite, cancel the invite in your HackerRank for Work account first.

> Details





3.3.4: Error Prevention (Legal, Financial, Data)

For web pages that cause legal commitments or financial transactions for the user to occur, that modify or delete user-controllable data in data storage systems, or that submit user test responses, at least one of the following is true:

Reversible: Submissions are reversible.





3.3.4: Error Prevention (Legal, Financial, Data)

- Checked: Data entered by the user is checked for input errors and the user is provided an opportunity to correct them.
- Confirmed: A mechanism is available for reviewing, confirming, and correcting information before finalizing the submission.





Information previously entered by or provided to the user that is required to be entered again in the same process is either:

- auto-populated, or
- available for the user to select.






Except when:

- re-entering the information is essential,
- the information is required to ensure the security of the content, or
- previously entered information is no longer valid.





Use the <autocomplete> attribute







A cognitive function test (such as remembering a password or solving a puzzle) is not required for any step in an authentication process unless that step provides at least one of the following:

- Alternative: Another authentication method that does not rely on a cognitive function test.
- Mechanism: A mechanism is available to assist the user in completing the cognitive function test.





- Object Recognition: The cognitive function test is to recognize objects.
- Personal Content: The cognitive function test is to identify non-text content the user provided to the website.







Thank you for coming today





Access this presentation and all links at www.accessibilityoz. com/about/conferences/











accessibilityoz.com

AccessibilityOz

enquiries @accessibilityoz.com